


## KEY FEATURES

Globe Power's Sunflare GP-100K-H Solar Lighting Tower has been built to suit various industries and is compliant with metropolitan and mining specifications.

- 7 day timer
- Day/night modes
- Jack pads
- Dimmer
- Fire extinguisher
- Emergency stop
- Isolators
- AC charger
- Wheel chocks
- Tie down points
- Lifting points
- Backup HATZ DC generator



- USER-FRIENDLY
- SOLAR & ADVANCED
- PORTABLE & EASY TO
- AUSTRALIAN DESIGNED & ENGINEERED

## PRODUCT SPECIFICATIONS

### GENERAL

Model	Sunflare - GP110k-H
Lumen Output	110,000
Mast Height	9 metres
Mast Type	Hydraulic/Cable
Lights	4 x 250w LED Modules (Dimmable)

### OPERATIONAL DATA

Wind Rating	100km/h
Working Temperature	0 to 50°C
Light Bar Tilt	0 to 90°
Light Bar Rotation	355°

### BATTERY

Battery	15.4kWh
Run Time	27 hours (Battery only)
Solar	1.8kWp
Solar Tilt	30°

### UNIT INFORMATION

Dimensions (Transport)	3660 x 2240 x 2930 (LxWxH)
Dimensions (Deployed)	3600 x 4370 x 9700 (LxWxH)
Weight	1,990kg
Security	Wheel/hitch locks, wheel clamp, security wheel nuts

